

## Author index

- AAS, M., SKRETING, A., ENGESET, A., WESTGAARD, R. & NICOLAYSEN, G. Lymphatic drainage from subcutaneous tissue in the foot and leg in the sitting human, 505
- ÅBORG, C.-H. (see UVNÄS, B.)
- ABRAHAMSSON, H. (see RORSMAN, P.)
- ABRAHAMSSON, P.-A. (see MATTIASSEN, I.)
- AGNATI, L.F., FUXE, K., BENFENATI, F., ZOLI, M., OWMAN, C., DIEMER, N.H., KÄRSTRÖM, J., TÖFFANO, G. & CIMINO, M. Effects of ganglioside GM1 treatment on striatal glucose metabolism, blood flow, and phosphorylation of the rat, 43
- AGNATI, L.F., FUXE, K., DAVALLI, P., ZINI, I., CORTI, A. & ZOLI, M. Striatal ornithine decarboxylase activity following neurotoxic and mechanical lesions of the mesostriatal dopamine system of the male rat, 173
- AGNATI, L.F. (see FUXE, K.)
- AGNATI, L.F. (see HÄRFSTRAND, A.)
- AHRÉN, B. & LUNDQUIST, I. Effects of  $\alpha$ -adrenoceptor blockade by phentolamine on basal and stimulated insulin secretion in the mouse, 211
- ALBERTS, P. & ÖGREN, V.R. Sarin and somatin depress [ $^3$ H]acetylcholine secretion in guinea-pig ileum myenteric plexus, 347
- ALBERTS, P. (see STJÄRNE, L.)
- ALSTERMARK, B. & WESSBERG, J. Timing of postural adjustment in relation to forelimb target-reaching in cats, 337
- ANDERSSON, K. Mecamylamine pretreatment counteracts cigarette smoke induced changes in hypothalamic catecholamine neuron systems and in anterior pituitary function, 445
- ANDERSSON, R.G.G. (see GRUNDSTRÖM, N.)
- ÄNGGÅRD, A. (see MARTLING, C.-R.)
- ARVER, S. (see SAGULIN, G.-B.)
- ASTRUP, A. (see BÜLOW, J.)
- ALÉN, M. (see HÄKKINEN, K.)
- BELFRAGE, P. (see LARSEN, T.S.)
- BENFENATI, F. (see AGNATI, L.F.)
- BENGTSOON, B. & KHAN, R. The influence of felodipine and diethylstilboestrol on [ $^3$ H]noradrenaline release in the rat trachea, 285
- BERGGQVIST, E. (see NYLANDER, O.)
- BJÖRDAHL, L. (see KVIST, U.)
- BLOM, P.C.S. (see HOSTMARK, A.T.)
- BLOM, P.C.S. (see VØLLESTAD, N.K.)
- BLOMSTRAND, E., LARSSON, L. & EDSTRÖM, L. Contractile properties, fatiguability and glycolytic metabolism in fast- and slow-twitch rat skeletal muscles of various temperatures, 235
- BOBERG, U., MÜLLER-SUUR, C. & PERSSON, A.E. Renal interstitial pressure measured in the subcapsular space using an *in vivo* oncometer, 377
- BROOMÉ, M., HÖKFELT, T. & TERENIUS, L. Peptide YY (PYY)-immunoreactive neurons in the lower brain stem and spinal cord of the rat, 349
- BUGGE, J. (see VIKSE, A.)
- BÜLOW, J., MADSEN, J., ASTRUP, A. & CHRISTENSEN, N.J. Vasoconstrictor effect of high FFA/albumin ratios in adipose tissue *in vivo*, 661
- CARLSON, H. (see THORSTENSSON, H.)
- CASTENSSON, S. (see POSLONCEC, B.)
- CHASIOTIS, D. Effects of noradrenaline infusion on cAMP and glycogen phosphorylase in fast-twitch and slow-twitch rat muscles, 537
- CHRISTENSEN, N.J. (see BÜLOW, J.)
- CIMINO, M. (see AGNATI, L.F.)
- CONRADI, N.G., SJÖSTRÖM, A., KARLSSON, B. & SOURANDER, P. Functional development of the visual system in normal and protein deprived rats. II. Morphometric and biochemical studies on adult optic nerve, 277
- CONRADI, N.G. (see SJÖSTRÖM, A.)
- CORTI, A. (see AGNATI, L.F.)
- DAHL, E. (see VIKSE, A.)
- DALSGAARD, C.-J. (see SARIA, A.)
- DALY, J.W. (see JAKOBSON, K.A.)
- DAVALLI, P. (see AGNATI, L.F.)
- DELBRO, D. (see HEDLUND, H.)
- DIEMER, N.H. (see AGNATI, L.F.)
- EDMAN, K.A.P. (see MÄNSSON, A.)
- EDSTRÖM, L. (see BLOMSTRAND, E.)
- EDVINSSON, L. Characterization of the contractile effect of neuropeptide Y in feline cerebral arteries, 33
- EDWALL, B., GAZELIUS, B., FAZEKAS, A., THEODORSSON-NORHEIM, E. & LUNDBERG, J.M. Neuropeptide Y (NPY) and sympathetic control of blood flow in oral mucosa and dental pulp in the cat, 253
- EIKEN, O. (see MEKJAVIC, I.B.)
- EKBLAD, E.B.M. Histamine; the sole mediator of pentagastrin-stimulated acid secretion, 135
- EKBLOM, A., HANSSON, P. & FJELLINER, B. The influence of extrasegmental mechanical vibratory stimulation and transcutaneous electrical nerve stimulation on histamine-induced itch, 541
- EKELUND, M., EL MUNSCHID, H.A., HÄKANSON, R. & REHFELD, J.F. Mechanism of hypergastrinaemia after nephrectomy in the cat, 383

- EKMAN, R. (see HELM, G.)  
 EL MUNSCHID, H.A. (see EKELOUND, M.)  
 ELY, D. (see NILSSON, H.)  
 ENBERG, G., THAM, A. & SARA, V.R. The influence of purified somatomedins and insulin on foetal rat brain DNA synthesis *in vitro*, 305  
 ENEROTH, P. (see FUXE, K.)  
 ENGESET, A. (see AAS, M.)  
 ENGSTRÖM, G. & TÄLJEDAL, I.-B. Effects of shape and size on red blood cell deformability: a static bending analysis, 669  
 ERIKSSON, H. (see HÄGGBLAD, J.)  
 ERIKSSON, Ö., MAYER-GOSTAN, N. & WISTRAND, P.J. The use of isolated fish opercular epithelium as a model tissue for studying intrinsic activities of loop diuretics, 55  
 FAHRENKRUG, J. (see SJÖQVIST, A.)  
 FALLETIN, N., SIDENIUS, B. & JØRGENSEN, K. Blood pressure, heart rate and EMG in low level static contractions, 265  
 FÄNDRIS, L. (see HEDLUND, H.)  
 FASTBOM, J. & FREDHOLM, B.B. Inhibition of [<sup>3</sup>H]glutamate release from rat hippocampal slices by L-phenylisopropyladenosine, 121  
 FASTH, S. (see HEDLUND, H.)  
 FAZEKAS, A. (see EDWALL, B.)  
 FJELLNER, B. (see EKBLOM, A.)  
 FOLKOW, B. (see FRIBERG, P.)  
 FOLKLOW, B. (see NILSSON, H.)  
 FOLKLOW, B. (see RIPPE, B.)  
 FORSTER, C. (see HERRERA-MARSCHITZ, M.)  
 FREDHOLM, B.B. (see FASTBOM, J.)  
 FREDHOLM, B.B. (see JAKOBSON, K.A.)  
 FRIBERG, P., FOLKOW, B. & NORDLANDER, M. Structural adaptation of the rat left ventricle in response to changes in pressure and volume loads, 67  
 FRIBERG, P., NORLANDER, M., LUNDIN, S. & FOLKOW, B. Effects of ageing on cardiac performance and coronary flow in spontaneously hypertensive and normotensive rats, 1  
 FRIBERG, P. (see NILSSON, H.)  
 FRIED, G., LUNDBERG, J.M. & THEODORSSON-NORHEIM, E. Subcellular storage and axonal transport of neuropeptide Y (NPY) in relation to catecholamines in the cat, 145  
 FUXE, K., SIEGEL, R.A., ANDERSSON, K., ENEROTH, P., MASCAGNI, F. & AGNATI, L.F. Acute continuous exposure to cigarette smoke produces discrete changes in cholecystokinin and substance P levels in the hypothalamus and preoptic area of the male rat, 437  
 FUXE, K. (see AGNATI, L.F.)  
 FUXE, K. (see HÄRFSTRAND, A.)  
 GAZELIUS, B. (see EDWALL, B.)  
 GRILLNER, S. (see VAN DONGEN, P.A.M.)  
 GRUNDSTRÖM, N. & ANDERSSON, R.G.G. Inhibition of the cholinergic neurotransmission in human airways via prejunctional alpha-2-adrenoceptors, 513  
 GRUNDSTRÖM, N., KARLSSON, J.O.G. & ANDERSSON, R.G.G. The control of granule movement in fish melanophores, 415  
 GUSTAFSSON, B. (see SJÖSTRÖM, A.)  
 GUSTAFSSON, L.E. (see SAMUELSON, U.E.)  
 GUSTAFSSON, L.E. (see WIKLUND, N.P.)  
 GUSTARSSON, B. (see WIGSTRÖM, H.)  
 HAGERMAN, M. (see POSLONCEC, B.)  
 HÄGGBLAD, J., ERIKSSON, H. & HEILBRONN, E. ATP-induced cation influx in myotubes is additive to cholinergic agonist action, 389  
 HÅKANSON, R. (see EKELOUND, M.)  
 HÄKKINEN, K., ALÉN, M. & KOMI, P.V. Changes in isometric force- and relaxation-time, electromyographic and muscle fibre characteristics of human skeletal muscle during strength training and detraining, 573  
 HÄKKINEN, K., KOMI, P.V. & ALÉN, M. Effect of explosive type strength training on isometric force- and relaxation-time, electromyographic and muscle fibre characteristics of leg extensor muscles, 587  
 HAMMARSTRÖM, M. Autonomic nervous control of isometrical secretion in the guinea pig, 461  
 HANSSON, P. (see EKBLOM, A.)  
 HARALDSSON, B. Effects of noradrenaline on the transcapillary passage of albumin, fluid and CrEDTA in the perfused rat hindlimb, 561.  
 HARALDSSON, B. (see RIPPE, B.)  
 HARDEBO, J.E. & KÄHRSTRÖM, J. Endothelial negative surface charge areas and blood-brain barrier function, 495  
 HÄRFSTRAND, A., FUXE, K., KALIA, M. & AGNATI, L.F. Somatostatin induced apnoea; prevention by central and peripheral administration of the opiate receptor blocking agent naloxone, 91  
 HAUG, A., HÖSTMARK, A.T. & SPYDEVOLD, Ø. Plasma lipoprotein distribution, faecal cholesterol excretion, and activities of lipoprotein lipase, hepatic lipase and lecithin: cholesterol acyltransferase in rats fed diets rich in sucrose or sunflower oil, 609  
 HEDLUND, H., FÄNDRIS, L., DELBRO, D. & FASTH, S. On the transmission of sacral parasympathetic nervous influence on distal colonic and rectal motility in the cat, 225  
 HEDNER, P. (see LINDVALL-AXELSSON, M.)  
 HEILBRONN, E. (see HÄGGBLAD, J.)  
 HELLE, K.B., PIHL, K.E. & SERCK-HANSEN, G. Effects of calcium and limited proteolysis on membrane-bound and releasable dopamine  $\beta$ -hydroxylase in adreno-medullary catecholamine granules, 423  
 HELLSTRAND, E. Brain metabolism and human gait - a PET study, 555  
 HELLSTRÖM, P.M. Pharmacological analysis of the mechanism of action for colonic contraction

- induced by neurotensin, substance P and methionine-enkephalin, 13
- HELM, G., EKMAN, R., RHYDHSTÖM, J., SJÖBERG, N.-O. & WALLES, B. Changes in oviductal VIP content induced by sex steroids and inhibitory effect of VIP on spontaneous oviductal contractility, 219
- HEMLIN, M. (see SJÖQVIST, A.)
- HERRERA-MARSCHITZ, M., FORSTER, C. & UNGERSTEDT, U. Rotational behaviour elicited by intracerebral injections of apomorphine and pergolide in 6-hydroxy-dopamine-lesioned rats. I: Comparison between systemic and intrastriatal injections, 519
- HERRERA-MARSCHITZ, M., FORSTER, C. & UNGERSTEDT, U. Rotational behaviour elicited by intracerebral injections of apomorphine and pergolide in 6-hydroxy-dopamine-lesioned rats. II. The striatum of the rat is heterogeneously organized for rotational behaviour, 529
- HÖKFELT, T. (see BROOMÉ, M.)
- HÖKFELT, T. (see VAN DONGEN, P.A.M.)
- HOOD, B. (see MATTIASSEN, I.)
- HÖSTMARK, A.T. & BLOM, P.C.S. Previous exercise nullifies the plasma triacylglycerol response to repeated fructose ingestion in young men, 553
- HÖSTMARK, A.T. (see HAUG, A.)
- ILEBEKK, A. (see THORVALDSON, J.)
- JAKOBSON, K.A., KIRK, K.L., DALY, J.W., JONZON, B., -O-LI, Y. & FREDHOLM, B.B. A novel 8-phenyl-substituted xanthine derivative is a selective antagonist at adenosine A<sub>1</sub>-receptors *in vivo*, 341
- JENNISCHE, E. Ischaemia-induced injury in glycogen-depleted skeletal muscle. Selective vulnerability of FG-fibres.
- JODAL, M. (see SJÖQVIST, A.)
- JOHANSEN, S. (see REED, R.K.)
- JONZON, B. (see JAKOBSON, K.A.)
- JØRGENSEN, K. (see FALLENTIN, N.)
- KÄHRSTRÖM, J. (see HARDEBO, J.E.)
- KALIA, M. (see HÄRFSTRAND, A.)
- KARLSSON, B. (see CONRADI, N.G.)
- KARLSSON, J.O.G. (see GRUNDSTRÖM, N.)
- KARLSTRÖM, G. (see NILSSON, H.)
- KÄRSTRÖM, J. (see AGNATI, L.F.)
- KHAN, R. (see BENGTSOON, B.)
- KIIL, F. (see THORVALDSON, J.)
- KIIL, F. (see VIKSE, A.)
- KIRK, K.L. (see JAKOBSON, K.A.)
- KJELLSTRÖM, B.T., ÖRTENWALL, P. & RISBERG, B. Effects of 5-hydroxytryptamine and related agents on endothelial cell oxidative metabolism *in vitro*, 501
- KNUTSSON, E. (see SKOGLUND, C.R.)
- KOMI, P.V. (see HÄKKINEN, K.)
- KVIST, U., BJÖRNDAL, L., ROOMANS, G.M. & LINDHOLMER, C. Nuclear zinc in human epididymal and ejaculated spermatozoa, 297
- LARSEN, T.J. & NILSSEN, K.J. On the hormonal regulation of lipolysis in isolated reindeer adipocytes, 547
- LARSEN, T.S., ÖSTEN NILSSON, N. & BELFRAGE, P. Seasonal changes in hormone-sensitive lipase activity in adipose tissue from Norwegian and Svalbard reindeer, 735
- LARSSON, L. (see BLOMSTRAND, D.)
- LINDVALL-AXELSSON, M., HEDNER, P., OWMAN, CH. & WINDBLADH, B. Influence of thyroid hormones on transport function and Na<sup>+</sup>-K<sup>+</sup>-ATPase activity in the rat choroid plexus, 627
- LUNDBERG, J.M. (see EDWALL, B.)
- LUNDBERG, J.M. (see FRIED, G.)
- LUNDBERG, J.M. (see MARTLING, C.-R.)
- LUNDBERG, J.M. (see SARIA, A.)
- LUNDGREN, O. (see SJÖQVIST, A.)
- LUNDIN, J. (see WIKLUND, N.P.)
- LUNDIN, M. (see FRIBERG, P.)
- LUNDQUIST, I. (see ÅHRÉN, B.)
- LYSSARIDES, L. (see UVNÄS, B.)
- MADSEN, J. (see BÜLOW, J.)
- MAGNUSSON, K.-E. (see SUNDQVIST, T.)
- MÄNSSON, A. & EGMAN, K.A.P. Effects of amrinone on the contractile behaviour of frog striated muscle fibres, 481
- MÄNSSON, J. (see SKOOG, P.)
- MARTLING, C.-R., ÅNGGÅRD, A. & LUNDBERG, J.M. Non-cholinergic vasodilation in the tracheobronchial tree of the cat induced by vagal nerve stimulation, 343
- MARTLING, C.-R. (see SARIA, A.)
- MASCAGNI, F. (see FUXE, K.)
- MATTIASSEN, I., NYSTRÖM, I., ABRAHAMSSON, P.-A. & HOOD, B. The relation between *in vitro* efflux of noradrenaline from platelets and *in vivo* efflux of noradrenaline from platelets and *in vivo* efflux of noradrenaline from platelets and *in vivo* efflux of noradrenaline from platelets, 155
- MAYER-GOSTAN, N. (see ERIKSSON, Ö.)
- MEDBØ, J.I. & SEJERSTED, O.M. Acid-base and electrolyte balance after exhausting exercise in endurance-trained and sprint-trained subjects, 97
- MEKJAVIC, I.B. & EIKEN, O. Inhibition of shivering in man by thermal stimulation of the thermal area, 633
- MONCLAIR, T. (see SEJERSTED, O.M.)
- MÜLLER-SAUR, C. (see BOBERG, U.)
- NICOLAYSEN, A. (see SEJERSTED, O.M.)
- NICOLAYSEN, A. (see WIIG, H.)
- NICOLAYSEN, G. (see AAS, M.)
- NICOLAYSEN, G. (see SEJERSTED, O.M.)
- NICOLAYSEN, G. (see WIIG, H.)
- NILSSEN, K.J. (see LARSEN, T.S.)
- NILSSON, H., ELY, D., FRIBERG, P., KARLSTRÖM, G. & FOLKOW, B. Effects of high and low sodium diets on the resistance vessels and their adrenergic vasoconstrictor fibre control in normotensive (WKY) and hypertensive (SHR) rats, 323
- NILSSON, H. & SJÖBLOM, N. Distension-dependent

- changes in noradrenaline sensitivity in small arteries from the rat, 429
- NILSSON, H., SJÖBLOM, N. & FOLKOW, B. Interaction between prejunctional  $\alpha_2$ -receptors and neuronal transmitter reuptake in small mesenteric arteries from the rat, 245
- NODDELAND, H. (see REED, R.K.)
- NORDLANDER, M. (see FRIBERG, P.)
- NYLANDER, O., BERGQVIST, E. & ÖBRINK, K.J. Dual inhibitory actions of somatostatin on isolated gastric glands, 111
- NYSTRÖM, I. (see MATTIASSEN, I.)
- ÖBRINK, K.J. (see NYLANDER, O.)
- ODDSON, L. (see THORSTENSSON, A.)
- ÖGREN, V.R. (see ALBERTS, P.)
- O-LI, Y. (see JAKOBSON, K.A.)
- OPDAHL, H. (see WIIG, H.)
- ÖRTENWALL, P. (see KJELLSTRÖM, B.T.)
- ÖSTEN NILSSON, N. (see LARSEN, T.S.)
- OWMAN, C. (see AGNATI, L.F.)
- OWMAN, C.H. (see LINDVALL-ÅXELSSON, M.)
- PERSSON, A.E. (see BOBERG, U.)
- PIHL, K.E. (see HELLE, K.B.)
- POSLONEC, B., UVNÄS-MOBERG, K., HAGERMAN, M., CASTENSSON, S. & UVNAS, B. Release of an insulin-like peptide from perfused extirpated cat legs in response to electrical stimulation of the sciatic and brachial nerves and to administration of ACh, bombesin, oxytocin and glibenclamide, 195
- REED, R.K. Transcapillary extravasation rate of albumin in rat skeletal muscle. Effect of motor activity, 719
- REED, R.K., JOHANSEN, S. & NODDELAND, H. Turnover rate of interstitial albumin in rat skin and skeletal muscle. Effects of limb movements and motor activity, 711
- REHFELD, J.F. (see EKELUND, M.)
- REHFELD, J.F. (see VAN DONGEN, P.A.M.)
- RIPPE, B., HARALDSSON, B. & FOLKOW, B. Evaluation of the 'stretched pore phenomenon' in isolated rat hindquarters, 453
- RISBERG, B. (see KJELLSTRÖM, B.T.)
- ROOMANS, G.M. (see KVIST, U.)
- ROOMANS, G.M. (see SAGULIN, G.-B.)
- RORSMAN, P. & ABRAHAMSSON, H. Cyclic AMP potentiates glucose-induced insulin release from mouse pancreatic islets without increasing cytosolic free  $Ca^{2+}$ , 639
- RYDHSTÖM, H. (see HELM, G.)
- RYDQVIST, B. (see SWERUP, C.)
- SAGULIN, G.-B., WROBLEWSKI, J., ARVER, S. & ROOMANS, G.M. Effects of calcitonin on elemental distribution and ultrastructure of rat submandibular gland acinar cells, 649
- SAMUELSON, U.E., WIKLUND, N.P. & GUSTAFSSON, L.E. Dual effects of adenosine and adenosine analogues on motor activity of the human fallopian tube, 369
- SARA, V.R. (see ENBERG, G.)
- SARIA, A., MARTLING, C.-R., DALSGAARD, C.-J. & LUNDBERG, J.M. Evidence for substance P-immuno-reactive spinal afferents that mediate bronchoconstriction, 407
- SEJERSTED, O.M., NICOLAYSEN, A., MONCLAIR, T. & NICOLAYSEN, G. Distribution of ouabain-binding sites along the dog nephron, 699
- SEJERSTED, O.M. (see MEDBØ, J.I.)
- SERCK-HANSEN, G. (see HELLE, K.B.)
- SIDENIUS, B. (see FALLENTIN, N.)
- SIEGEL, R.A. (see FUXE, K.)
- SJÖBERG, N.-O. (see HELM, G.)
- SJÖBLOM, N. (see NILSSON, H.)
- SJÖQVIST, A., FAHRENKRUG, J., HEMLIN, M., JODAL, M. & LUNDGREN, O. Effects of intra-arterially infused adenosine triphosphate (ATP) on release of vasoactive intestinal polypeptide (VIP) from the gastrointestinal tract of the cat, 693
- SJÖSTRÖM, A., CONRADI, N.G., GUSTAFSSON, B. & WIGSTROM, H. Functional development of the visual system in normal and protein deprived rats. III: Recordings from adult optic nerve *in vitro*, 353
- SJÖSTRÖM, A. (see CONRADI, N.G.)
- SJÖVALL, H. Afferent vagal control of fluid absorption in the feline jejunum, 125
- SKOGLUND, C.R. & KNUTSSON, E. Vasometer changes in human skin elicited by high frequency low amplitude vibration, 335
- SKOOG, P., MANSSON, J. & THORÉN, P. Changes in renal sympathetic outflow during hypotensive haemorrhage in rats, 655
- SKRETTING, A. (see AAS, M.)
- SPYDEVOLD, Ø. (see HAUG, A.)
- SOURANDER, P. (see CONRADI, N.G.)
- STJÄRNE, L. & ALBERTS, P. Influence of temperature on stimulus-secretion coupling in the sympathetic nerves and on neuromuscular transmission, in guinea-pig vas deferens, 181
- STOCK, S. & UVNÄS-MOBERG, K. Oxytocin infusions increase plasma levels of insulin and VIP but not of gastrin in conscious dogs, 205
- SUENSON, M. Interaction between ventricular cells during the early part of excitation in the ferret heart, 81
- SUNDQVIST, T. & MAGNUSSON, K.-E. Modelling of intestinal permeability in man to polyethylene glycols (PEG 400 and PEG 1000), 289
- SWERUP, C. & RYDQVIST, B. Effects of halothane on the transducer and potential activated currents of the crustacean stretch receptor, 359
- TÄLJEDAL, I.-B. (see ENGSTRÖM, G.)
- TERENIUS, L. (see BROOMÉ, M.)

- THAM, A. (see ENBERG, G.)
- THEODORSSON-NORHEIM, E. (see EDWALL, B.)
- THEODORSSON-NORHEIM, E. (see FRIED, G.)
- THORÉN, P. (see SKOOG, P.)
- THORSTENSSON, A., ODDSSON, L. & CARLSON, H.  
Motor control of voluntary trunk movements in standing, 309
- THORVALDSON, J., ILEBEKK, A. & KIIL, F. Determinants of pulmonary blood volume. Effects of acute changes in airway pressure, 471
- THYBERG, J. (see UVNÄS, B.)
- TOFFANO, G. (see AGNATI, L.F.)
- UNGERSTEDT, U. (see HERRERA-MARSCHITZ, M.)
- UVNÄS, B., ÅBORG, C.-H., LYSSARIDES, L. & THYBERG, J. Cation exchanger properties of isolated rat peritoneal mast cell granules, 25
- UVNÄS, B. (see POSLONCEC, B.)
- UVNÄS-MOBERG, K. (see POSLONCEC, B.)
- UVNÄS-MOBERG, K. (see STOCK, S.)
- VAN DONGEN, P.A.M., HÖKFELT, T., GRILLNER, S., REHFELD, J.F. & VERHOFSTAD, A.J. A cholecystokinin-like peptide is present in 5-hydroxytryptamine neurons in the spinal cord of the lamprey, 557
- VERHOFSTAD, A.J. (see VAN DONGEN, P.A.M.)
- VIKSE, A., BUGGE, J., DAHL, E. & KIIL, F. Dissociation between renal prostaglandin  $E_2$  and renin release. Effects of glucagon, dopamine and cyclic AMP in dogs, 619
- VØLLESTAD, N.K. & BLOM, P.C.S. Effect of varying exercise intensity on glycogen depletion in human muscle fibres, 395
- WALLES, B. (see HELM, G.)
- WESSBERG, J. (see ALSTERMARK, B.)
- WESTGAARD, R. (see AAS, M.)
- WIGSTRÖM, H. & GUSTARSSON, B. Facilities of hippocampal long-lasting potentiation by GABA antagonists, 159
- WIGSTRÖM, H. (see SjöSTRÖM, A.)
- WIIG, H., OPDAHL, H., NICOLAYSEN, A. & NICOLAYSEN, G. Interstitial fluid pressure in the isolated perfused rabbit lung, 601
- WIKLUND, N.P., GUSTAFSSON, L.E. & LUNDIN, J. Pre- and postjunctional modulation of cholinergic neuroeffector transmission by adenine nucleotides. Experiments with agonist and antagonist, 681
- WIKLUND, N.P. (see SAMUELSON, U.E.)
- WINBLADH, B. (see LINDVALL-ÅXELSSON, M.)
- WISTRAND, P.J. (see ERIKSSON, Ö.)
- WROBLEWSKI, J. (see SAGULIN, G.-B.)
- ZINI, I. (see AGNATI, L.F.)
- ZOLI, M. (see AGNATI, L.F.)

## Subject index

- Acetylcholine, 111, 681  
 Acidosis, 97  
 Acid secretion, 135  
 Adenine nucleotide analogues, 681  
 Adenosine analogues, 369  
 Adenosine deaminase, 681  
 Adenosine receptors, 121, 369  
 Adenosine triphosphate, 693  
 Adipocytes, 547  
 Adipose tissue, 661  
 Adrenal gland, 145  
 Adrenaline, 547  
 Adrenaline infusion, 537  
 Adrenergic, 461  
 Adrenergic  $\alpha_2$ -receptors, 245  
 Adrenergic transmitter release, 323  
 $\alpha$ -adrenoceptors, 181, 211, 253  
 $\beta$ -adrenoceptors, 211  
 Afferent nerves, 407  
 Ageing, 1  
 Airways, 513  
 Albumin, 561, 661, 719  
 Alpha-2-adrenoceptors, 513  
 Amrinone, 481  
 Anaerobic capacity, 97  
 Anion gap, 97  
 Aortic flow, 471  
 Apnoea, 91  
 Apomorphine, 519, 529  
 ARP, 389  
 Arterial resistance vessels, 245  
 Arteries, 429  
 Atrophy, 573  
 Autonomic nerves, 461  
 Autonomic transmission, 225  
 Autoradiography, 699  
 Axonal transport, 145  
 Axons, 277  
  
 Base deficit, 97  
 Bicarbonate, 97  
 Bicycle exercise, 395  
 Biochemistry, 277  
 Blockades, 13  
 Blood-brain barrier, 495  
 Blood flow, 43, 253, 661  
 Blood volume, 471  
 Bovine chromaffin granules, 423  
 Bronchial, 513  
 Bronchoconstriction, 407  
  
 $\text{Ca}^{2+}$ , 43, 415  
 Ca antagonists, 285  
 Calcitonin, 649  
 Calcium, 423, 649, 727  
 Calcium cooling, 181  
 Calcium ions, 33  
 cAMP, 43, 537  
 Capsaicin, 407  
 Capillary, 561  
 Capillary diffusion capacity, 453  
 Capillary filtration capacity, 453  
 Capillary permeability, 453  
 Carbachol, 211, 389  
 Cardiopulmonary receptors, 125  
 Cathepsin D, 423  
 Cation, 495  
 Cation exchange, 25  
 CCK, 211  
 Cell contraction, 501  
 Central nervous system, 91  
 Cerebral arteries, 33  
 C-fibres, 125  
 Chick myotubes, 389  
 Chloride, 97  
 Chloride transport, 55  
 Cholecystokinin, 437  
 Cholesterol excretion, 609  
 Cholinergic, 461, 513  
 Choline uptake, 627  
 Choroid plexus, 627  
 Chromaffin granules, 145  
 Chromogranins, 423  
 Cigarette smoke, 437, 445  
 Cold stress, 633  
 Colonic contraction, 13  
 Colonic motility, 225  
 Concentric hypertrophy, 67  
 Continuous capillaries, 453  
 Contractility, 219  
 Convection, 711, 719  
 Crayfish, 359  
 Cross-bridge kinetics, 481  
 Curve-fitting, 289  
 Cyclic AMP, 55, 415, 639  
 Cytosolic  $\text{Ca}^{2+}$ , 639  
  
 DB-cAMP, 619  
 Dental pulp, 253  
 DES, 285



- Detraining, 573  
 Dexamethasone, 547  
 DIDS, 55  
 Diffusion, 711, 719  
 Diuretics, 55  
 DNA synthesis, 305  
 Dog, 471, 661  
 Dogs, 619  
 Dopamine, 519, 529, 619  
 Dopamine  $\beta$ -hydroxylase, 423  
 Dye exclusion, 727  
  
 Eccentric hypertrophy, 67  
 Ejaculated, 297  
 Electrical stimulation, 195  
 EMG, 309  
 Endometrium, 461  
 Endothelium, 495, 501  
 Epididymal, 297  
 Evans blue, 727  
 Exchange, 561  
 Excitation-contraction coupling, 481  
 Excitatory neurotransmitter, 121  
 Exocrine secretion, 649  
 Explosive type strength training, 587  
  
 Facilitation, 181  
 Fallopian tube, 369  
 Fast- and slow-twitch muscles, 537  
 Fatigue, 235  
 Fetal brain, 305  
 Filter function, 289  
 Filtration coefficient, 561  
 Fish opercular skin, 55  
 Fluid transport, 125  
 Force-time curve, 573  
 Force gradation, 395  
 Force-velocity relation, 481  
 Forskolin, 55  
 Free fatty acids, 661  
 Free radicals, 727  
 Frog gastric mucosa, 135  
 Furosemide, 55  
  
 Ganglioside GM1, 43  
 Gastric acid secretion, 383  
 Gastric glands, 111  
 Gastrin, 205, 383  
 Gastrointestinal blood flow, 693  
 General anaesthetics, 359  
 Glucagon, 619  
 Glucose, 211  
 Glucose metabolism, 43  
 Glucose-6-phosphate, 235  
 Glycerol release, 547  
 Glycogen, 727  
 Glycogenolysis, 537  
  
 Growth hormone, 547  
 Guinea-pig, 181, 681  
  
 Halothane, 359  
 Heart rate, 165  
 Heart size, 67  
 Hepatic lipase, 609  
 Hippocampus, 159  
 Histamine, 25, 135, 383  
 Histamine release, 111, 135  
 Histamine store depletion, 135  
 Hormones, 445  
 HPLC, 195  
 Human, 297, 369  
 Human airways, 513  
 6-hydroxy-dopamine, 519  
 5-hydroxytryptamine, 501  
 Hypertension, 323  
 Hyperthyroidism, 67, 627  
 Hypertrophy, 573  
 Hypothalamic catecholamines, 445  
 Hypothalamus preoptic area, 437  
 Hypothyroidism, 627  
  
 IGF-I, 305  
 IGF-II, 305  
 Ileum, 681  
 Imipramine, 501  
 Indomethacin, 619  
 Inhibition of shivering, 633  
 Innervation, 513  
 Injury, 727  
 Inorganic phosphate, 537  
 Insulin, 305, 547  
 Insulin, secretion, 211  
 Interstitial albumin, 711  
 Interstitial albumin concentration, 719  
 Interstitial albumin mass, 719  
 Interstitial compliance, 601  
 Interstitial hydrostatic pressure, 377  
 Interstitial oncotic pressure, 377  
 Intestinal filtering, 289  
 Intracerebral injections, 519, 529  
 Intramuscular temperature, 265  
*In vitro*, 353  
*In vivo*, 211  
 Ischaemia, 727  
 Isometric contraction, 429  
 Isometric force- and relaxation-time curves, 587  
 Isotonic contraction, 429  
  
 K<sup>+</sup> ions, 25  
 Kinematics, 309  
  
 Lactate, 97, 235  
 Large noradrenergic vesicles, 145  
 Lecithin:cholesterol acyltransferase, 609

- Left atrial pressure, 471
- Lipoprotein lipase, 609
- Lipoproteins, 609
- Locally applied heat stimulus, 633
- Low-level static contraction, 265
- Lung water, 601
- Lymphatic contractility, 505
- Lymphatic propulsion, 505
- Lymphatics, 505
- Lymph flow, 711
- Lymph scintigraphy, 505
- Lysate, 423
- Lysine, 495
- Malnutrition, 353
- Mast cell granules, 25
- Mast cells, 25
- Mean arterial blood pressure, 265
- Mean peak voltage (EMG), 265
- Mean spectral frequency (MSF), 265
- Mecamylamine, 445
- Melanophores, 415
- Melanosome movement, 415
- Membrane, 423
- Methionine-enkephalin, 13
- Mitral constriction, 471
- Morphometry, 277
- Motor activity, 711
- Motor control, 309
- Motor programs, 309
- Mouse, 211
- Muscle fibre types, 395
- Muscle temperature, 235
- Myelin, 277
- Myocardial impulse propagation, 81
- Myocardial wavefront configuration, 81
- Na<sup>+</sup> ions, 25
- Na, K-ATPase, 699
- Na<sup>+</sup>-K<sup>+</sup>-ATPase, 627
- Naloxone, 91
- Negative surface charge, 495
- Nephrectomy, 383
- Neural activation, 573
- Neural and hypertrophic adaptations, 587
- Neurogenic insulin, 195
- Neuromodulation, 681
- Neuro-muscular transmission, 181
- Neuronal amine uptake, 245
- Neuropeptide Y, 33, 253
- Neuropeptide Y (NPY), 145
- Neurotensin, 13
- Nicotinic acetylcholine receptor, 389
- Non-adrenergic, 225
- Noradrenaline, 145, 155, 181, 253, 285
- Noradrenaline sensitivity, 429
- Nucleus accumbens, 529
- Oncometer, 377
- Opiate receptors, 91
- Optic nerve, 277, 353
- Oral mucosa, 253
- Orthovanadate, 55
- Ouabain, 55, 501
- Ouabain binding, 699
- Oviduct, 219
- Oxygen deficit, 97
- Oxytocin, 205
- Pancreatic  $\beta$ -cells, 639
- Pancreatic polypeptides, 33
- Parasympathetic nerves, 225
- Parietal cell activity, 111
- Pelvic nerves, 225
- Pentagastrin, 111, 135
- Pepstatin A, 423
- Peptide YY, 33
- Pergolide, 519, 529
- Permeability, 561
- PGE<sub>2</sub> and renin release, 619
- Phentolamine, 211
- Phosphorylase, 537
- Physiology, 353
- Picrotoxin, 159
- Platelets, 155
- Plasma glucose, 211
- Plasma levels of insulin, 205
- Polarographic ascorbate measurements, 471
- Pore model, 289
- Posture, 309
- Potassium, 97
- Potassium sensitivity, 429
- Potentiation, 159
- Pregnancy, 67
- Prejunctional, 181
- Presynaptic receptors, 121
- Primary hypertension, 1
- Prostaglandins, 55
- Protamine, 495
- Protein deprivation, 277, 353
- Protein phosphorylation, 43
- Proteolysis, 423
- Pruritus, 541
- Pulmonary arterial pressure, 471
- Pulmonary circulation, 601
- Pulmonary mean transit time, 471
- Quin-2, 639
- Radioactive microspheres, 661
- Radioimmunoassay, 195
- Rangifer, 547
- Rat, 235, 245, 277, 429, 453, 609, 649, 711
- RBC ageing, 669
- RBC deformability, 669



- RBC shape, 669
- <sup>86</sup>Rb-fluxes, 389
- Recruitment, 395
- Rectal motility, 225
- Reindeer, 547
- Release of histamine, 25
- Renal arterial constriction, 619
- Renal interstitium, 377
- Respiration, 601
- Respirometry, 501
- Rotational behaviour, 519, 529
  
- Sciatic and brachial nerves, 195
- Sex steroids, 219
- SHR, 1, 67,
- Single muscle fibre, 481
- Skeletal muscle, 235, 481, 561, 711, 727
- Skin, 711
- Small intestine, 125
- Smooth muscle, 369, 681
- Smooth muscle contraction, 181
- Smooth musculature, 219
- Sodium, 97
- Sodium and adrenergic nerve function, 323
- Sodium intake, 323
- Sodium reabsorption, 699
- Sodium transport, 699
- Somatostatin, 91, 111
- Sperm heads, 297
- Spinal ganglia, 407
- Splanchnic nerves, 125
- Static bending model of RBC, 669
- Strength training, 573
- Stretch receptor neurone, 359
- Striatum, 43, 519, 529
- Subcellular storage, 145
- Subgroups, 395
- Submandibular gland, 649
- Substance P, 13, 407, 437
- 8-*p*-sulphophenyltheophylline, 369, 681
- Surface area, 561
  
- Sympathectomy, 627
- Sympathetic nerves, 253
- Sympathetic nervous system, 155, 323
- Sympathetic neuro-effector function, 323
  
- <sup>99m</sup>Tc-albumin, 505
- Temperature, 181
- Terbutaline, 211
- Trachea, 285
- Trainability, 587
- Transcapillary extravasation, 719
- Transducer, 359
- Transport functions, 627
- Transcutaneous electrical nerve stimulation (TENS), 541
- Transmitter secretion, 181
- Transmural nerve stimulation, 245, 429
- Trigeminal region, 633
- Twitch and tetanus potentiation, 481
  
- Ureteral occlusion, 619
- Urinary recovery of different-sized probe molecules, 289
  
- Vagal nerves, 125, 407
- Vascular resistance, 661
- Vas deferens, 155, 181
- Vasoactive intestinal polypeptide, 219, 693
- Vascular permeability, 495
- Venous pressure, 453
- Ventricular excitation, 81
- Ventricular performance, 1
- Vibratory stimulation, 541
- VIP, 205, 461
- Voluntary movements, 309
  
- Xanthines, 121
- <sup>133</sup>Xe-washout, 661
- X-ray microanalysis, 649
  
- Zinc, 297